


22





COMBINATION & MULTI-PURPOSE LADDERS

Easy to store and versatile, combining the strengths of traditional A-frame ladders, extension ladders and stepladders in one convenient package.

- 24 King Kombo™ Industrial
- 26 Xtreme™
- 27 Revolution™
- 28 Velocity™
- 29 Dark-Horse™
- 30 Heavy-Duty Combination Ladders
- 32 Trade Combination Ladders
- 32 Pro Adjustable Ladders
- 33 Combination Ladders
- 33 3Way Ladder



NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

**Little
Giant**
Ladder Systems

King Kombo™ Industrial

Little Giant's King Kombo™ is the world's first and only 3-in-1 extension ladder, leaning ladder and stepladder combination, in one lightweight package. The King Kombo™ was built for those who get stuff done! King Kombo™, with ultra-heavy-duty feet, seriously aggressive tread for elite traction and durability for harsh industrial environments. King Kombo™ also brings a tough corner, pole, and stud gripping V-bar for the extension ladder position. This heavy-duty grip conforms to inside and outside corners and even offers protection for damageable leaning surfaces like paint, drywall, and stucco and round poles. Speed, power, and safety—prepare to be faster and safer than ever on the job!

- Ultra-Heavy-Duty feet with aggressive tread for elite traction
- Tough corner, pole and stud gripping V-bar for the extension ladder position
- Heavy-Duty grip conforms to inside and outside corners and even offers protection for damageable leaning surfaces such as paint, drywall and stucco
- Patent-pending non-conductive Hi-Viz green fibreglass makes the ladder more noticeable
- Wide-flared side offers superior side-tip stability
- Straight side allows operators to access tight work spaces between stud gaps, ceiling trusses and attic access ports
- This ladder brings speed, power and safety to any job with palm buttons for easy adjustment
- EN131-4



Top cap is fitted with multi-pads for resting against wide range of surfaces

Lightweight GRP Insulated stiles for protection around electricity



Fitted with Ground Cue™



Built-in V-Bow for poles and studs



Narrow profile in storage position



Multi-function tool tray accommodates wide range of tools



Feet are profiled to rest securely against wall



Use as a short ladder - rest the pad against wall



Palm-button helps you quickly select required position

KING KOMBO™

SKU	Rungs x Sections	Closed Length (m)	Approx. Working Height (m)	Extended Length (m)	Width (m)	Weight (kg)
1303-205	5 x 2	1.5	3.1	2.6	0.64	9.0
1303-206	6 x 2	1.8	3.4	3.0	0.64	9.9
1303-208	8 x 2	2.4	4.6	4.2	0.73	12.8



Scan for video



NEXT DAY DELIVERY



LIFETIME WARRANTY



MAX LOAD 150 KG



INTENSIVE USAGE



Xtreme™

The Little Giant Xtreme™ is a multi-use ladder system made up of four major components: one inner ladder assembly, two outer ladder assemblies that telescope over the inner section, and the AirDeck®, which serves as both a safety handrail and as a tool tray. The inner and outer assemblies work together with the Comfort Step™, Quad-Lock™ hinges and Rock-Locks™ to adjust the ladder into different heights and positions.

- Palm pressure hinges with Quad-Lock™ pins for easy setup and rock solid stability
- Wider rungs mean more stability and comfort when working on the ladder
- Integrated standing platform for added comfort and stability
- Rock-Locks™ – Adjust the height of your ladder with a simple click and hook
- Tip & Glide™ wheels for manoeuvrability
- Work safely on uneven terrain / hands free adjustment
- Supplied with AirDeck accessory
- EN131-4



Scan for video

Heavy-wall Aircraft grade aluminium

Double weld joints for maximum durability

Rock-Locks™

4-pin Quad Lock Hinge for intensive use

Integrated work platform

Includes Tip & Glide™ wheels

Integrated ratchet leg leveller mechanism for use on uneven ground

XTREME							
SKU	Treads	Approx. Working Height† (m)	Extended Length (m)	Step Ladder Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1303-600	4	4.6	2.50–4.20	1.20–2.10	0.59	1.00–1.50	17.3
1303-601	5	5.7	3.10–5.40	1.50–2.70	0.66	1.10–1.90	18.9
1303-602	6	6.8	3.60–6.50	1.80–3.20	0.73	1.30–2.30	28.6



NEXT DAY DELIVERY



LIFETIME WARRANTY



MAX LOAD 150 KG




INTENSIVE USAGE

Little Giant
Ladder Systems

Revolution™

The Little Giant Revolution™ is constructed of a special alloy that makes it 20% lighter than any comparable industrial-rated ladder. The Revolution™ also includes several innovative new features such as the Quad-Lock™ hinge and the easy-to-use Rock-Locks™ for quick adjustment. The Revolution™'s wide-flared legs and aerospace-grade aluminum construction provide an unmatched feeling of safety and stability.

- 20% lighter than any comparable industrial-rated ladder
- Easy-to-use Rock-Locks™ for quick adjustment
- Unmatched stability thanks to the Quad-Lock™ hinge and wide-flared legs
- Highest quality construction from aerospace grade aluminium
- Tip & Glide™ wheels for manoeuvrability
- EN131-4



Scan for video



Fitted with metal Rock-Locks™

4-pin Quad Lock Hinge for intensive use

Heavy-wall Aircraft grade aluminium

Fitted with Tip & Glide™ Wheels

REVOLUTION							
SKU	Treads	Approx. Working Height† (m)	Extended Length (m)	Step Ladder Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1303-344	4	4.6	2.50—4.20	1.20—2.10	0.59	1.00—1.50	14.4
1303-345	5	5.7	3.10—5.40	1.50—2.70	0.66	1.10—1.90	18.9
1303-346	6	6.8	3.60—6.50	1.80—3.20	0.73	1.30—2.30	23.4



NEXT DAY
DELIVERY



LIFETIME
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

**Little
Giant**
Ladder Systems

Velocity®

When used correctly, the Little Giant Velocity® is the strongest, safest, most versatile ladder in the world. The Velocity's patented Triple-Lock Hinge™ and telescoping sides make it a true multi-use ladder. In fact, the Velocity can be used in 16 unique configurations, as an A-Frame, extension, staircase, as a 90-degree ladder and as a trestle and plank scaffolding system. You will enjoy an unmatched feeling of safety and stability using the Little Giant Velocity® Ladder. Constructed of heavy wall, aerospace grade aluminium, its wide-flared legs give a feeling of stability you cannot normally get with any traditional A-frame or extension ladder.

- Patented Triple-Lock Hinge
- 24 ladders in one
- Splayed legs for unmatched stability
- EN131-4



Heavy-wall Aircraft
grade aluminium

Dual pin hinge



New & improved patented
Rapid-Lock Adjusters™



Includes Tip & Glide™ wheels

VELOCITY							
SKU	Treads	Approx. Working Height† (m)	Extended Length (m)	Step Ladder Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1303-106	4	4.8	2.70—4.50	1.30—2.18	0.61	1.05—1.60	13.6
1303-107	5	5.9	3.30—5.69	1.60—2.73	0.69	1.25—1.90	17.2
1303-108	6	7.1	3.90—6.91	2.00—3.22	0.78	1.50—2.30	22.0



NEXT DAY DELIVERY



1 YEAR WARRANTY



MAX LOAD 150 KG



INTENSIVE USAGE



Dark Horse™

All the versatility of a Little Giant in super strong fibreglass. Together with the tough hinge you have the most compact, versatile and durable fibreglass ladder in the world. Little Giant is now proving popular with major utilities, telecoms engineers and railway maintenance teams.

- Stiles manufactured from non-conductive Fibreglass
- Unmatched stability thanks to the Quad-Lock™ hinge and wide-flared legs
- Use the Dark Horse™ as multiple sizes of A-frame, extension, 90-degree ladders, or as
- Buy one ladder to do the job of five
- Rated to 30,000 volts
- Use the right ladder for the right job every time and avoid 95% of all ladder-related safety issues
- EN131-4



All-metal Lock Hinge for intensive use



Fitted with metal Rock-Locks™



Includes Tip & Glide™ wheels



Scan for video




DARK HORSE

SKU	Treads	Approx. Working Height† (m)	Extended Length (m)	Step Ladder Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1303-125	3	3.5	1.90–3.00	0.90–1.50	0.72	0.70–1.20	15.3
1303-126	4	4.6	2.50–4.20	1.20–2.00	0.72	0.90–1.50	18.2
1303-127	5	5.7	3.10–5.30	1.50–2.50	0.72	1.20–1.90	20.6

Heavy-Duty Combination Ladders

FEATURES

Designed to be stable on uneven surfaces and offer the ultimate in durability and flexibility. Developed for use in the most demanding environments, our industrial grade combination ladders provide you a triple ladder, an A-frame stepladder, an extended stepladder, a stairwell ladder combined with a levelling safety base in one robust product.



- Telescopic stabiliser for use on uneven ground
- Large box section stiles with twist-proof rung connections
- Use as an extension, A-frame or stairwell ladder
- Aluminium locking stays for additional rigidity
- Deep, comfortable rungs that are horizontal when climbing
- Strong nylon coated guides for smooth operation
- Integrated wall wheels to assist placement
- Non-conductive stiles insulated to 30,000 volts (fibreglass version)
- EN131





NEXT DAY
DELIVERY



10 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

ALUMINIUM VERSION

Durable, flexible and stable. The Heavy-Duty Combination Ladder has the versatility to provide safe access in complex scenarios within the toughest of environments.

ALUMINIUM COMBINATION LADDERS

SKU	Rungs	Closed Length (m)	Approx. Working Height† (m)	Extended Length (m)	Max. Tread Height A-frame (m)	Overall Width* (m)	Open Depth (m)	Weight (kg)
1300-051	5+6+6	2.0	4.5	4.2	1.9	0.83—1.28	1.26	16.0
1300-053	7+8+8	2.6	6.0	5.7	2.5	0.83—1.28	1.57	20.5
1300-054	8+9+9	2.9	6.6	6.3	2.8	0.83—1.28	1.80	25.0
1300-056	10+11+11	3.5	8.4	8.1	3.4	0.83—1.28	2.30	29.5

*Overall width includes stabiliser bar.



NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

FIBREGLASS VERSION

The fibreglass alternative of the Heavy-Duty Combination Ladder enjoys all of the same versatility and ground breaking technology, but insulated to 30,000 volts.

FIBREGLASS COMBINATION LADDERS

SKU	Rungs	Closed Length (m)	Approx. Working Height† (m)	Extended Length (m)	Max. Tread Height A-frame (m)	Overall Width* (m)	Open Depth (m)	Weight (kg)
1300-061	5+6+6	2.0	4.5	4.2	1.9	0.83—1.28	1.26	17.0
1300-063	7+8+8	2.6	6.0	5.7	2.5	0.83—1.28	1.57	22.0

*Overall width includes stabiliser bar.



NEXT DAY DELIVERY



1 YEAR WARRANTY



MAX LOAD 150 KG



OCCASIONAL USAGE

Light-Duty Combination Ladders

The Light-Duty Combination Ladder is a versatile multi-function ladder, which is easy to use and light enough to carry comfortably between jobs.

- Use as an extension, extended A-frame and stairwell ladder
- Wide horizontal stabiliser bar
- Rigid box section stiles
- EN131

COMBINATION LADDERS

SKU	Rungs	Closed Length (m)	Approx. Working Height†(m)	Extended Length (m)	Max. Tread Height A-frame (m)	Overall Width* (m)	Open Depth (m)	Weight (kg)
1300-310	7+7+7	2.0	4.9	4.3	1.9	0.76	1.31	12.0
1300-312	9+9+9	2.6	6.5	5.9	2.5	0.86	1.69	16.0
1300-314	11+11+11	3.1	7.7	7.1	3.0	0.96	2.04	20.0

*Overall width includes stabiliser bar.



NEXT DAY DELIVERY



1 YEAR WARRANTY



MAX LOAD 150 KG



OCCASIONAL USAGE

3Way Ladder

The 3Way Combination Ladder is ideal for tackling decorating tasks by quickly converting from a step ladder into an extension and stairwell ladder.

- Use as an extension, extended A-frame and stairwell ladder
- Wide horizontal stabiliser bar
- Strong but lightweight box section stiles
- EN131

3WAY LADDER

SKU	Rungs	Closed Length (m)	Approx. Working Height†(m)	Extended Length (m)	Max. Tread Height A-frame (m)	Overall Width* (m)	Open Depth (m)	Weight (kg)
1300-200	7+7	2.0	3.7	3.1	1.9	0.76	1.31	8.5

*Overall width includes stabiliser bar.

