

34





# STEP LADDERS

Available in a wide variety of sizes and strengths for occasional, regular and intensive usage.

- 36 MightyLite™
- 38 Heavy-Duty Fibreglass Steps
- 40 Probat Step Ladders
- 42 Heavy-Duty Step Ladders
- 44 Maxi Step Ladders
- 45 SelectStep™
- 46 Premier XL Step Ladders
- 47 Light-Duty Step Ladders

## **Duraclimb Technology**

Some of the products in this section use Duraclimb Technology



Treads are secured by tough spun-rung Duraclimb technology, providing the strongest possible mechanical connection for intensive use.



NEXT DAY  
DELIVERY



1 YEAR  
WARRANTY



MAX LOAD  
150 KG



INTENSIVE  
USAGE

**Little  
Giant**  
Ladder Systems

# MightyLite™

New from Little Giant, the MightyLite™ Step Ladder is designed to help reduce or prevent the three leading types of ladder related injuries. By reducing weight, reduces the likelihood of neck and shoulder pain from carrying heavy items.

Dangerous falls from standing on the top cap - the MightyLite™ comes with a large standing platform that provides additional comfort for users.

Each Little Giant MightyLite™ comes with the Ground Cue™ built-in. This gives users an audible/sensory warning that the last step is reached and it is safe to step off the ladder. Ideal for use in noisy environments.

Fibreglass Step Ladder range incorporates a multi-functional tool tray with non-conductive stiles, making them ideal for working around electricity. The combination of super-strong Box-section fibreglass stiles and reinforced aluminium treads gives you a durable yet lightweight and easy to handle step that is perfect for the busy trades-person.


- Non-conductive fibreglass stiles to 30,000 volts, ideal for working around electricity
- Integrated multi-function tool tray
- Reinforced 330 x 330mm top platform
- Comfortable 75mm treads
- Lighter than traditional glass fibre steps
- Fitted with Little Giant's Ground Cue™ to minimise falls
- Large feet angled to maximise ground contact and reduce slip
- EN131 Professional



Scan for video



Built-in shock  
absorbers



Lightweight GRP  
Insulated stiles for  
protection around  
electricity



Comprehensive, inte-  
grated tool tray



Large standing plat-  
form with handle for  
easy opening/closing



Fitted with Ground Cue™



For orders and enquiries call: **029 2132 0000** | TB Davies



Narrow profile in storage position

#### MIGHTYLITE™ STEP LADDERS – PLATFORM

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1303-952	2	2.17	0.57	1.29	0.48	0.71	5.5
1303-953	3	2.45	0.85	1.59	0.52	0.90	6.5
1303-954	4	2.73	1.13	1.89	0.55	1.09	7.2
1303-956	6	3.31	1.71	2.49	0.61	1.47	10.9

\*Tread count includes top platform step



## ACCESSORIES

We have a full range of accessories to complement our core range of products. Please see page 118 to 125 to see if there are any accessories with the product you have selected. If you have a specific requirement, please contact us on 029 2132 0000 or email [sales@tbdavies.co.uk](mailto:sales@tbdavies.co.uk)



NEXT DAY  
DELIVERY



3 YEAR  
WARRANTY



MAX LOAD  
150 KG



REGULAR  
USAGE

# Heavy-Duty Fibreglass Step Ladders

Our Heavy-Duty Fibreglass step ladder range incorporates a multi-functional tool tray with non-conductive stiles, making them ideal for working around electricity. The combination of super-strong C-section fibreglass stiles and reinforced aluminium treads gives you a durable yet lightweight and easy to handle step that is perfect for the busy trades-person.

- Non-conductive fibreglass stiles to 30,000 volts (EN61478), ideal for working around electricity
- Integrated multi-function tool tray
- Reinforced 320 x 248mm checker-plate platform (platform steps only)
- Comfortable 80mm treads
- Hinged metal locking stays, provide optimal stability
- Box section back legs with heavy-duty bracing
- Large feet angled to maximise ground contact and reduce slip
- EN131 Professional

PLATFORM



SWINGBACK



#### HEAVY-DUTY FIBREGLASS STEP LADDERS – PLATFORM

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1236-004	4	2.55	0.95	1.69	0.50	0.95	8.0
1236-005	5	2.79	1.19	1.93	0.53	1.11	9.0
1236-006	6	3.02	1.42	2.18	0.55	1.30	10.0
1236-008	8	3.49	1.89	2.69	0.61	1.63	12.5
1236-010	10	3.96	2.36	3.19	0.67	1.96	15.0



#### HEAVY-DUTY FIBREGLASS STEP LADDERS – SWINGBACK

SKU	Tread Count*	Approx. Working Height†(m)	Last Climbing Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1235-004	4	2.10	0.47	1.05	0.44	0.76	5.0
1235-005	5	2.30	0.71	1.31	0.47	0.94	6.0
1235-006	6	2.60	0.95	1.56	0.50	1.10	7.0
1235-008	8	3.00	1.42	2.06	0.55	1.44	9.0
1235-010	10	3.50	1.89	2.56	0.61	1.74	11.5



\*Tread count includes top platform step



## PRODUCT DEMONSTRATIONS

One of our fleet of specialist vehicles can be driven to customers' premises, where a TB Davies trained operative will showcase a range of products, ensuring you choose the product that fits your needs and your staff understand how to use the equipment safely. Please see page 65 for more information.



NEXT DAY DELIVERY



5 YEAR WARRANTY



MAX LOAD 150 KG



INTENSIVE USAGE



DURA CLIMB STEP


# Probat Step Ladders

The Probat platform step ladder provides maximum stability and is designed for intensive use in the most demanding environments. It is over-tested to 360kg and with the front and rear stiles constructed using large 50mm aluminium scaffold tube. The mammoth 100mm deep treads are secured using 'Duraclimb' spun-rung technology to provide the strongest possible mechanical connection for intensive use.


- Manufactured from 50mm Aluminium scaffold tube for maximum rigidity and stability
- Featuring tough spun-rung 'Duraclimb' technology for intensive use
- Extra-strong 390 x 380mm bi-folding platform
- Mammoth 100mm deep steps for maximum climbing support
- Convex oversized feet ensure maximum ground contact and grip
- EN131 Professional




Work tray & hook



Unique folding platform



100mm deep treads



Extra-thick 50mm tube



Super-sized rubber, non-slip feet

For orders and enquiries call: **029 2132 0000** | TB Davies



Work tray & hook holds up to 10kg



Folds easily for transport & storage



High handrail



In folded, storage position

#### PROBAT STEP LADDERS

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1205-004	4	2.55	0.95	1.91	0.69	0.98	10.8
1205-005	5	2.80	1.20	2.16	0.72	1.14	12.4
1205-006	6	3.02	1.42	2.41	0.75	1.30	14.5
1205-007	7	3.26	1.66	2.66	0.78	1.46	15.5
1205-008	8	3.50	1.90	2.91	0.81	1.62	17.0
1205-009	9	3.73	2.13	3.16	0.84	1.78	19.6
1205-010	10	3.97	2.37	3.41	0.87	1.94	21.5
1205-012	12	4.44	2.84	3.91	0.93	2.26	27.5

\*Tread count includes top platform step



## DURACLIMB TECHNOLOGY

Treads are secured by tough spun-rung Duraclimb technology, providing the strongest possible mechanical connection for intensive use.





NEXT DAY  
DELIVERY



3 YEAR  
WARRANTY



MAX LOAD  
150 KG



REGULAR  
USAGE

# Heavy-Duty Step Ladders

Updated version of the classic Class 1 step ladder for the new EN131 Professional ladder standard, these industrial steps are available in both platform and swing-back versions. They are wider than before, but still manufactured in the UK from heavy-duty channel section stiles with riveted treads.

Available in sizes 4, 5, 6, 8, 10 & 12 treads.

3 tread is available as a Platform Step only.

- Reinforced 330 x 255 checker-plate platform (platform steps only)
- Comfortable 80mm treads
- Heavy duty all aluminium construction
- Hinged metal locking stays provide optimal stability
- Box section back legs with heavy-duty bracing
- Slip resistant feet provide a firm footing
- EN131 Professional

PLATFORM



SWINGBACK





#### HEAVY-DUTY STEP LADDERS – PLATFORM

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1202-023	3	2.21	0.61	1.34	0.44	<b>0.74</b>	6.5
1202-024	4	2.43	0.83	1.57	0.47	<b>0.93</b>	7.3
1202-025	5	2.66	1.06	1.81	0.51	1.12	8.2
1202-026	6	2.89	1.29	2.06	0.54	1.31	9.1
1202-028	8	3.34	1.74	2.55	0.61	1.69	10.8
1202-030	10	3.79	2.19	3.04	0.68	2.07	12.6
1202-032	12	4.24	2.64	3.53	0.75	2.45	14.3

#### HEAVY-DUTY STEP LADDERS – SWINGBACK

SKU	Tread Count*	Approx. Working Height†(m)	Last Climbing Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1200-024	4	2.00	0.39	0.91	0.44	0.71	4.1
1200-025	5	2.20	0.61	1.16	0.47	0.88	5.1
1200-026	6	2.40	0.84	1.40	0.51	1.05	6.1
1200-028	8	2.90	1.29	1.89	0.58	1.39	8.1
1200-030	10	3.40	1.78	2.39	0.65	1.73	10.0
1200-032	12	3.80	2.24	2.88	0.72	2.07	11.9

\*Tread count includes top platform step

# Maxi Step Ladders

The Maxi platform step ladder is designed for intensive use and features a large cast aluminium safety platform set at a comfortable 75-degree angle. The large 85mm deep treads are secured using 'Duraclimb' spun-rung technology to provide the strongest possible mechanical connection for intensive use.

- Featuring tough spun-rung 'Duraclimb' technology for intensive use
- Comfortable 75 degree safe-climbing angle
- Large 85mm deep steps for fatigue-free standing
- Comfortable 265 x 265mm top platform step
- High strength nylon components reduce wear and tear
- Durable die-cast hinges
- Spacious storage tray for material and tools
- EN131 Professional



Sturdy top platform step



110mm deep treads



Integrated top cap and hook for accessing a range of tools



## MAXI STEP LADDERS

SKU	Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1211-023	3	2.25	0.65	1.38	0.44	0.70	4.2
1211-024	4	2.48	0.88	1.62	0.47	0.86	5.2
1211-025	5	2.72	1.12	1.88	0.50	1.02	6.2
1211-026	6	2.96	1.36	2.12	0.53	1.18	7.2
1211-027	7	3.19	1.59	2.37	0.56	1.34	8.2
1211-028	8	3.42	1.82	2.62	0.59	1.50	9.2

\*Tread count includes top platform step



NEXT DAY DELIVERY



LIFETIME WARRANTY



MAX LOAD 150 KG



INTENSIVE USAGE

# Select Step®

The only multi-position stepladder in the world is also the most comfortable stepladder in the world. The heavy-duty yet lightweight Select Step® is a 5, 6, 7, and 8 tread stepladder, and is the only stepladder that can be safely used on stairs and sloping ground. No matter how you set it up, the patent-pending Select Step® provides a comfortable standing platform, and the optional AirDeck® utility tray and handrail (shown but not included) make standing at the top of the Select Step® feel as good as standing on solid ground.

- A 5,6,7 & 8 tread step ladder in one
- Safe, easy staircase access
- Deep 100mm serrated anti-slip treads
- Comfortable 250 x 300mm platform step
- Extra wide base for added stability
- Clean-touch anodised finish
- Integrated moulded tool tray
- Tip n glide wheels
- EN131



Scan for video



SELECT STEP						
SKU	Treads	Approx. Working Height† (m)	Platform Height (m)	Storage Height (m)	Open Height (m)	Weight (kg)
1303-350	5-8	3.2	0.8—1.6	1.5	1.4—2.2	13.8



NEXT DAY DELIVERY



3 YEAR WARRANTY



MAX LOAD 150 KG



OCCASIONAL USAGE

# Premier XL Step Ladders

This lightweight and durable step ladder has twin handrails fitted for an easy climb, with an integrated multi-function tool tray.

- Twin safety handrails to assist with climbing
- Features built-in tool tray
- Extra-large 120mm anti-slip treads with edge protection
- Comfortable 270 x 250mm platform
- High support rail and integrated tool tray
- EN131 Non-professional



Scan for video



## PREMIER XL STEP LADDERS

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1203-003	3	2.21	0.61	1.33	0.42	0.68	4.4
1203-004	4	2.43	0.83	1.56	0.44	0.83	5.3
1203-005	5	2.65	1.05	1.80	0.46	1.00	6.0
1203-006	6	2.87	1.27	2.03	0.49	1.13	7.8
1203-007	7	3.08	1.48	2.26	0.51	1.30	8.7

\*Tread count includes top platform step



NEXT DAY  
DELIVERY



1 YEAR  
WARRANTY



MAX LOAD  
150 KG



OCCASIONAL  
USAGE

# Light-Duty Step Ladders

Ideal for light-duty use, with a slim design and continuous handrail positioned extra high for ease and comfort in use.

- High continuous handrail for ease of use
- Deep comfortable treads
- Strong sturdy 264 x 258mm platform
- EN131 Non-professional



## STEP LADDERS

SKU	Tread Count*	Approx. Working Height†(m)	Platform Height (m)	Closed Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1212-003	3	2.22	0.62	1.33	0.44	0.69	3.6
1212-004	4	2.44	0.84	1.57	0.46	0.84	4.2
1212-005	5	2.66	1.06	1.81	0.49	1.00	4.8
1212-006	6	2.88	1.28	2.04	0.51	1.19	5.4
1212-007	7	3.11	1.51	2.28	0.53	1.30	6.4
1212-008	8	3.33	1.73	2.53	0.56	1.50	8.0

\*Tread count includes top platform step



## NEED ADVICE?

If you have any questions about our range of products or suitability for a specific requirement, please contact us on 029 2132 0000 or email [sales@tbdavies.co.uk](mailto:sales@tbdavies.co.uk)