

78





WAREHOUSE STEPS

A range of fixed height warehouse steps designed with simple manoeuvrability and constructed for regular and intensive use.

80 Extra Heavy-Duty Mobile Safety Steps

81 Optional Extras

82 Heavy-Duty Mobile Safety Steps

83 Mobile Safety Steps

84 Folding Mobile Safety Steps

85 Truck Dock

86 Stepmobile Plus

87 Stepmobile™

88 Warehouse Steps

IMPORTANT INFORMATION

Please note all products in this section are strictly for internal use only, should you require advice on selecting a product that is suitable for outdoor use please contact our sales team on 029 2132 0000 or email sales@tbdavies.co.uk



DELIVERY
20-25 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE



KM 608967
BS EN 131-7

Extra Heavy-Duty Mobile Safety Steps

Suitable for the most demanding projects and applications, constructed from box section steel on a splayed base to provide much greater stability and strength. Over tested to 200kg. The treads are available in either expamet or ribbed rubber depending on your requirements. Kite-marked to the demanding EN131-7 British Standard. The Extra Heavy-Duty step is available with a wide range of options, including gates, chains and hinged bars. See options on page 81. Supplied in red.

- Extra wide 490 x 180mm deep treads for comfort and safety
- Large 500 x 560mm platform with intermediate guardrails and toe boards
- Fully welded steel box-section construction
- Additional bracing for more frequent use applications
- Choice of ribbed rubber or expamet treads
- Locking device and anti-ascent bar
- Easy one-user manoeuvrability on 200mm diameter heavy-duty wheels and 100mm swivel castors
- EN131-7



EXTRA HEAVY-DUTY MOBILE SAFETY STEPS

SKU		Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Height (m)	Width (m)	Depth (m)	Expamet Weight (kg)	Ribbed Weight (kg)
Expamet	Ribbed								
2026-003	2025-003	3	2.29	0.69	1.69	0.96	0.78	48.0	56.0
2026-004	2025-004	4	2.52	0.92	1.92	1.12	0.85	56.0	64.0
2026-005	2025-005	5	2.75	1.15	2.15	1.29	0.91	62.0	74.0
2026-006	2025-006	6	2.98	1.38	2.38	1.43	0.96	81.0	93.0
2026-007	2025-007	7	3.21	1.61	2.61	1.61	1.01	89.0	102.0
2026-008	2025-008	8	3.44	1.84	2.84	1.79	1.06	99.0	112.0
2026-009	2025-009	9	3.67	2.07	3.07	1.96	1.14	109.0	122.0
2026-010	2025-010	10	3.90	2.30	3.30	2.13	1.22	124.0	136.0
2026-011	2025-011	11	4.13	2.53	3.53	2.29	1.27	132.0	145.0
2026-012	2025-012	12	4.36	2.76	3.76	2.40	1.27	143.0	157.0
2026-013	2025-013	13	4.59	2.99	3.99	2.56	1.37	153.0	168.0
2026-014	2025-014	14	4.82	3.22	4.22	2.73	1.54	165.0	180.0
2026-015	2025-015	15	5.05	3.45	4.45	2.89	1.57	177.0	192.0

*Tread count includes top platform step

† 3 Tread steps are not fitted with the anti-descent or locking bar

Note that this unit is supplied in 2 x packages over 10 steps and above

For orders and enquiries call: **029 2132 0000** | TB Davies

Optional Extras

The following options are available at the time of ordering. Please select the sized **Extra & Heavy-Duty Mobile Step** you require with the additional codes for the option desired.




2004-105 Platform Gate To End



2004-122 Platform Chain to Front



2004-106 Platform Gate To Left Hand Side



2004-112 Platform Chain to Left Hand Side

2004-107 Platform Gate To Right Hand Side

2004-113 Platform Chain to Right Hand Side




2004-108 Double Hinged Bar to End



2004-111 Platform Chain to End



2004-109 Double Hinged Bar to Left Hand Side



2004-118 Bottom Safety 'Access Denied' Gate

2004-110 Double Hinged Bar to Right Hand Side



2004-124 Double Hinged Bar to Front



2004-1XY
Hook on Tool Tray

2004-123
Hook on Tool Basket





DELIVERY
10-15 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

Heavy-Duty Mobile Safety Steps

Suitable for construction, military and warehouse applications with extra wide treads and a large working platform. Kite-marked to the demanding EN131-7 British Standard with additional bracing making it suitable for more frequent use applications.

- Extra wide 700 x 180mm deep treads for comfort and safety
- Large 700 x 560mm platform with intermediate guardrails and toe boards
- Fully welded steel construction
- Additional bracing for more frequent use applications
- Choice of anti-slip or punched treads
- Locking device and anti-ascent bar
- Easy one-user manoeuvrability on heavy-duty wheels and castors
- EN131-7



KM 608967
BS EN 131-7



HEAVY-DUTY MOBILE SAFETY STEPS

SKU	Tread Count*	Approx. Working Height†	Platform Height	Overall Height	Width (m)	Depth (m)	Punched Weight (kg)	Anti-slip Weight (kg)	
Punched	Anti-Slip								
2019-003	2020-003	3	2.28	0.68	1.68	0.90	0.97	35.0	35.0
2019-004	2020-004	4	2.50	0.90	1.90	0.95	1.12	40.0	40.0
2019-005	2020-005	5	2.73	1.13	2.13	1.00	1.28	45.0	45.0
2019-006	2020-006	6	2.95	1.35	2.35	1.05	1.43	50.0	50.0
2019-007	2020-007	7	3.18	1.58	2.58	1.10	1.59	55.0	55.0
2019-008	2020-008	8	3.40	1.80	2.80	1.15	1.74	60.0	60.0
2019-009	2020-009	9	3.63	2.03	3.03	1.20	1.90	65.0	65.0
2019-010	2020-010	10	3.85	2.25	3.25	1.25	2.05	85.0	85.0
2019-011	2020-011	11	4.08	2.48	3.48	1.30	2.21	95.0	95.0
2019-012	2020-012	12	4.30	2.70	3.70	1.35	2.36	105.0	105.0
2019-013	2020-013	13	4.53	2.93	3.93	1.40	2.52	110.0	110.0
2019-014	2020-014	14	4.75	3.15	4.15	1.45	2.67	120.0	120.0
2019-015	2020-015	15	4.98	3.38	4.38	1.50	2.83	130.0	130.0

*Tread count includes top platform step

† 3 Tread steps are not fitted with the anti-descent or locking bar

Note that this unit is supplied in 2 x packages over 10 steps and above



DELIVERY
10-15 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



REGULAR
USAGE

Mobile Safety Steps

Strong tubular steel construction for commercial applications with double handrail, toe-boarded platform and enclosed guardrail for assured working and stock picking.

- Locking device and anti-ascent bar
- Comfortable 560 x 400mm platform for assured stock picking
- Fully welded tubular steel construction
- Choice of anti-slip or punched 560 x 180mm deep treads
- Easy one-user manoeuvrability
- EN131-7



KM 608967
BS EN 131-7

MOBILE SAFETY STEPS									
SKU		Tread Count*	Approx. Working Height†	Platform Height	Overall Height	Width (m)	Depth (m)	Punched Weight (kg)	Anti-slip Weight (kg)
Punched	Anti-Slip		(m)	(m)	(m)	(m)	(m)	(kg)	(kg)
2017-003	2018-003	3	2.35	0.75	1.75	0.86	0.81	28.0	28.0
2017-004	2018-004	4	2.60	1.00	2.00	0.91	0.97	32.0	32.0
2017-005	2018-005	5	2.85	1.25	2.25	0.95	1.12	55.0	55.0
2017-006	2018-006	6	3.10	1.50	2.50	1.00	1.28	62.0	62.0
2017-007	2018-007	7	3.35	1.75	2.75	1.04	1.43	70.0	70.0
2017-008	2018-008	8	3.60	2.00	3.00	1.09	1.59	78.0	78.0
2017-009	2018-009	9	3.85	2.25	3.25	1.13	1.74	90.0	90.0
2017-010	2018-010	10	4.10	2.50	3.50	1.18	1.90	98.0	98.0
2017-011	2018-011	11	4.35	2.75	3.75	1.22	2.05	106.0	106.0
2017-012	2018-012	12	4.60	3.00	4.00	1.27	2.21	116.0	116.0
2017-013	2018-013	13	4.85	3.25	4.25	1.31	2.36	122.0	122.0
2017-014	2018-014	14	5.10	3.50	4.50	1.36	2.52	130.0	130.0
2017-015	2018-015	15	5.35	3.75	4.75	1.40	2.67	138.0	138.0

*Tread count includes top platform step

†3 Tread steps are not fitted with the anti-descent or locking bar

Note that this unit is supplied in 2 x packages over 10 steps and above





DELIVERY
10-15 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



REGULAR
USAGE



Folding Mobile Safety Steps

The simple folding mechanism make this step easy to locate into areas with restricted access. The tilt and push design make them easy to manoeuvre around the warehouse and racking.

- Simple tilt and go design for manoeuvrability
- Folds for transport and access
- Solid perforated 180mm treads provide excellent slip resistance and drainage
- Comfortable 560 x 380mm platform
- Scratch resistant finish

FOLDING MOBILE SAFETY STEPS

SKU		Tread Count*	Approx. Working Height†	Platform Height	Overall Height	Width (m)	Depth (m)	Weight (kg)
Punched	Anti-Slip		(m)	(m)	(m)			
2021-004	2022-004	4	2.60	1.00	2.00	0.80	1.00	35.0
2021-005	2022-005	5	2.90	1.30	2.30	0.80	1.10	40.0
2021-006	2022-006	6	3.10	1.50	2.50	0.80	1.30	45.0
2021-007	2022-007	7	3.40	1.80	2.80	0.80	1.40	50.0
2021-008	2022-008	8	3.60	2.00	3.00	0.80	1.60	55.0

*Tread count includes top platform step.



TRAINING ACADEMY

Through our Working at Height Training Academy, we offer a selection of safety courses, ensuring we not only sell safe products, but also instruct operatives how to use our products safely. Most of our courses are certified by nationally recognised bodies, such as The Ladder Association, PASMA and St John's Ambulance.

Please see page 126 to 127 for more information.



DELIVERY
20-25 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



INTENSIVE
USAGE

Truck Dock

Designed to allow user to descend the steps facing forward with large working top platform makes them ideal for loading and unloading items from vehicles in storage areas.

- Large platform with removable chain on end and both sides for 3-sided access
- 48-degree shallow slope for extra safety
- Comfortable 750mm wide expamet treads
- Large 750 x 1200mm platform
- Welded steel tube and bar construction
- Fitted with hand lock anchorage
- Fitted with industrial grade castors (100mm) and rear wheels (200mm)



TRUCK DOCK

SKU	Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Overall Height (m)	Width (m)	Depth (m)	Weight (kg)
2024-004	4	2.52	0.92	1.91	0.96	1.87	89.0
2024-005	5	2.75	1.15	2.14	0.96	2.06	98.0
2024-006	6	2.98	1.38	2.37	0.96	2.25	107.0
2024-007	7*	3.21	1.61	2.60	0.96	2.44	116.0
2024-008	8**	3.44	1.84	2.83	0.96	2.63	125.0

*Tread count includes top platform step.

**Handrails are supplied loose for transport.



DELIVERY
12-15 DAYS



1 YEAR
WARRANTY



MAX LOAD
150 KG



REGULAR
USAGE

Stepmobile Plus

Manufactured to the demanding requirements of British Standards EN131-7 with a flared base for maximum stability. Strong sprung castors lock and hold in place when weight is applied with long double handrails and a guard railed top tread provide extra assurance for users.

- Flared base for added stability
- Spring loaded swivel castors retract when weight is applied
- Dome covers have high grip rubber wrap-around bumpers
- Hard wearing powder coated finish in a choice of colours
- Continuous hand and guardrail for safety
- Robust tubular steel construction
- Large 406 x 406mm platform
- Large 180mm ribbed rubber covered treads
- EN131-7

● Blue (B)

● Beige/Sandstone (BG)

● Green (G)

● Grey (GR)

● Red (R)

● Yellow (Y)



KM 608967
BS EN 131-7



Firm contact achieved when weight is applied to the step



STEPMOBILE PLUS

SKU	Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Overall Height (m)	Width (m)	Overall Depth (m)	Weight (kg)
2010-062	2	2.11	0.51	1.46	0.62	0.73	14.0
2010-063	3	2.36	0.76	1.72	0.80	0.92	16.0
2010-064	4	2.62	1.02	1.97	1.00	1.08	19.0
2010-065	5	2.87	1.27	2.22	1.20	1.24	22.0

*2 tread version is not supplied with stabilisers. *Tread count includes top platform step.

Use the colour scheme to select desired colour, simply add the colour to the order code, E.g. 2010-063G is a 3 Tread Stepmobile Plus in Green



DELIVERY
5-7 DAYS



1 YEAR
WARRANTY



MAX LOAD
125 KG



REGULAR
USAGE

Stepmobile™ Classic

Steel narrow aisle step, widely used in office, library and archiving environments. Strong sprung castors lock and hold in place when weight is applied. The zero turning circle makes them easy to manoeuvre in tight spaces. Long double handrails and a guard railed top tread provide extra assurance for users.

- Spring loaded swivel castors retract when weight is applied
- Dome covers have high grip rubber wrap-around bumpers
- Effortless manoeuvrability
- Safe 280mm deep anti-slip ribbed rubber treads
- Platform size 280 x 380mm
- Continuous hand and guardrail for safety
- Robust tubular steel construction
- Hard wearing powder coated finish in a choice of colours

- Blue (B)
- Beige/Sandstone (BG)
- Green (G)
- Grey (GR)
- Red (R)
- Yellow (Y)



Firm contact achieved when weight is applied to the step

STEPMOBILE™ CLASSIC							
SKU	Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Overall Height (m)	Width (m)	Overall Depth (m)	Weight (kg)
2010-001	2	2.11	0.51	0.61	0.53	0.54	8.0
2010-002	2	2.11	0.51	1.19	0.58	0.62	12.0
2010-003	3	2.36	0.76	1.43	0.58	0.80	14.0
2010-004	4	2.62	1.02	1.68	0.58	0.96	17.0
2010-005	5	2.87	1.27	1.94	0.58	1.12	20.0

*2 tread has no handrail. *Tread count includes top platform step.

Use the colour scheme to select desired colour, simply add the colour to the order code, E.g. 2010-003G is a 3 Tread Stepmobile in Green

TB Davies | For orders and enquiries call: **029 2132 0000**



DELIVERY
3-5 DAYS



3 YEAR
WARRANTY



MAX LOAD
150 KG



REGULAR
USAGE

Warehouse Steps

Traditional fixed aluminium warehouse steps constructed from heavy-duty channel-section aluminium with double riveting throughout for extra rigidity. The large platform allows for comfortable stock picking and double handrail for assured access and egress. The lower handles work in conjunction with the rear wheel to facilitate easy tilt 'n' push movement around your warehouse.

- 80mm deep serrated treads
- Large 450 x 360mm checker-plate platform
- Double handrail for additional safety
- Tilt 'n' push wheels for manoeuvrability
- Supplied 'knockdown' format for easy site assembly



WAREHOUSE STEPS

SKU	Tread Count*	Approx. Working Height† (m)	Platform Height (m)	Overall Height (m)	Width (m)	Open Depth (m)	Weight (kg)
1275-003	3	2.40	0.80	1.40	0.48	0.92	8.5
1275-004	4	2.65	1.05	1.70	0.50	1.06	9.9
1275-005	5	2.90	1.30	1.90	0.53	1.19	11.3
1275-006	6	3.10	1.50	2.10	0.56	1.33	12.7
1275-007	7	3.30	1.70	2.40	0.59	1.46	14.1
1275-008	8	3.60	2.00	2.60	0.61	1.60	15.5
1275-009	9	3.80	2.20	2.90	0.64	1.73	16.9
1275-010	10	4.03	2.43	3.10	0.67	1.87	18.3
1275-011	11	4.26	2.66	3.40	0.69	2.00	19.7
1275-012	12	4.49	2.89	3.60	0.72	2.14	21.1
1275-013	13	4.72	3.12	3.80	0.75	2.27	22.5
1275-014	14	4.95	3.35	4.00	0.77	2.41	23.9
1275-012	12	4.49	2.89	3.60	0.72	2.14	21.1
1275-013	13	4.72	3.12	3.80	0.75	2.27	22.5
1275-014	14	4.95	3.35	4.00	0.77	2.41	23.9

*Tread count includes top platform step

PRODUCT DEMONSTRATIONS

As part of our commitment to keeping people safe, we offer a mobile demonstration service. One of our fleet of specialist vehicles can be driven to customers' premises, where a TB Davies trained operative will showcase a range of products, ensuring you choose the product that fits your needs and your staff understand how to use the equipment accurately and safely.

