

76





LOFT LADDERS

Wide range of sliding, folding and concertina loft ladders available in aluminium and timber.

78 LuxFold Timber Loft Ladder

79 EnviroFold Timber Loft Ladder

79 Eurofold Timber Loft Ladder

80 Concertina Loft Ladder

81 Aluminium Sliding Loft Ladders



NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG



LuxFold Timber Loft Ladder

As the name suggests the LuxFold Timber Loft Ladder uses the finest pine alongside traditional woodworking techniques. The extra thick 56mm trapdoor has our highest energy efficiency and is used in conjunction with a specially developed counterbalanced closing system for smooth fingertip operation.

- Highest quality pine stiles and treads
- Traditional stile and tread construction
- Counter balanced trap door for smooth operation
- Supplied with architrave for fine finish
- High quality 56mm insulated white trap door
- EN14975



The mark of
responsible forestry
FSC® C113774



LUXFOLD TIMBER LOFT LADDER

Product sku	Treads	Max Floor To Floor Height (m)	Opening Size (mm)	Hatch Case Size (mm)	Max Swing Clearance (mm)	Weight (kg)
1530-010	12	2.9	1300 x 600	1,275 x 576	1,640	34.0





NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG

EnviroFold Timber Loft Ladder

The EnviroFold uses the highest quality timber from sustainable sources to bring you an ecologically friendly loft ladder that can help reduce both your carbon emissions and fuel bills. To aid installation the unit will fit snugly between standard UK 600mm joists.


- Safe and easy spring assisted operation
- Air seal to EN12207
- White insulated trap door
- Angled feet for a quality finish
- Twin handrails for additional security
- Comfortable 75mm deep treads
- EN14975

ENVIROFOLD TIMBER LOFT LADDER

Product sku	Treads	Max Floor To Floor Height (m)	Opening Size (mm)	Hatch Case Size (mm)	Max Swing Clearance (mm)	Weight (kg)
1530-005	12	2.9	1,150 x 570	1,275 x 576	1,640	24.0
1530-012	Extension Kit (Extends max floor to floor height to 3.5m)					3.0



The mark of
responsible forestry
FSC® C113774



NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG

Eurofold Timber Loft Ladder

The TB Davies Eurofold is made of highest quality spruce, supplied with an insulated hatch door pre-finished in white. Complete loft access solution including ladder, loft surround, insulated trapdoor and spring assisted stowage.

- Continuous seal around trap door reduces heat loss
- Uses no further loft floor space – ladder stores within trap door.
- White insulated trap door
- EN14975

EUROFOLD TIMBER LOFT LADDER

Product sku	Treads	Max Floor To Floor Height (m)	Opening Size (mm)	Hatch Case Size (mm)	Max Swing Clearance (mm)	Weight (kg)
1530-000	12	2.9	1,200 x 600	1,175 x 576	1,579	27.9



The mark of
responsible forestry
FSC® C113774





NEXT DAY
DELIVERY



1 YEAR
WARRANTY





MAX LOAD
100 KG

Concertina Loft Ladder

Our Concertina Loft Ladder is easy to pull down and climb. Fits tiny loft spaces that makes even the smallest loft spaces accessible. You can get more value from your home or office and use storage space that you might have overlooked. With a swing clearance of just 47cm, this concertina loft ladder will work on the narrowest of landings or hallways.

- Concertinas up into tiny footprint that sits on loft hatch
- Fits the most compact loft spaces
- 82mm robust deep serrated treads
- Easy and quick installation



CONCERTINA LOFT LADDER

Product sku	Treads	Max Floor To Floor Height (m)	Opening Size (mm)	Frame Size (mm)	Max Swing Clearance (mm)	Weight (kg)
1502-004	9	2.5	600 x 500	575 x 476	470	14.2
1502-005	10	2.7	600 x 500	575 x 476	470	15.6
1502-006	11	3.0	600 x 500	575 x 476	470	16.4





NEXT DAY
DELIVERY



1 YEAR
WARRANTY



MAX LOAD
150 KG

Aluminium Sliding Loft Ladders

This sturdy and practical aluminium loft ladder is a perfect loft-access solution, extending from two overlapping sections that can be affixed to the inside of the loft to be lowered down when access is needed. Supplied with all the components needed for DIY installation, including a universal stowing pole and comprehensive instructions.

- Anti-slip 'D' rungs for comfort and security
- Trapdoor not included
- Universal stowing pole, compatible with most loft hatches
- EN14975



ALUMINIUM SLIDING LOFT LADDERS

Product sku	Treads	Max Floor To Floor Height (m)	Opening Size* (mm)	Frame Size (mm)	Max Swing Clearance (mm)	Weight (kg)
1502-001	10	2.1 - 2.7	489-546 x 381	575 x 476	710	4.3
1502-007	12	2.1 - 3.0	400-463 x 381	575 x 476	710	5.1

*Opening size will depend on the ceiling thickness.