

TB Davies EN131 GRP Fibreglass Platform Step Ladder



Specifications

Warranty: 3-yearMax Load: 150kgStandard: EN131

- Material: GRP Fibreglass/Aluminium

Commodity Code: 7019.9Country of Origin: CNRecommended Usage: Regular

Common Dimensions

- Tread Depth: 80mm

- Distance Between Treads: 250mm

- Storage Depth: 135mm

- Top Platform Tread (LxW): 345 x 255mm

- Handrail Height: 615mm

Availability & Delivery

Stock item. Delivery next day. (See exceptions, if applicable, overleaf)

[Representative image of product]

Features

- GRP Fibreglass stiles insulated to 30,000 volts for electrical work (EN61478)
- Comfortable, deep serrated treads
- Integrated multi-function tool tray
- Hinged metal locking stays provide optimal stability
- Semi-automatic locks for easy adjustment
- Large feet angled to maximise ground contact and reduce slip
- Reinforced 345 x 225mm checker-plate platform

Product Dimensions

| SKU | Treads ² | Approx. Working Height ¹ (mm) | Platform Height (mm) | Open Height (mm) | Closed Height (mm) | Width (mm) | Open Depth (mm) | Nett Weight (kg) |
|----------|---------------------|--|----------------------------|------------------|--------------------|------------|-----------------|------------------|
| 1236-004 | 4 | 2550 | 950 | 1565 | 1685 | 495 | 950 | 8.0 |
| 1236-005 | 5 | 2785 | 1185 | 1795 | 1930 | 525 | 1110 | 9.0 |
| 1236-006 | 6 | 3020 | 1420 | 2030 | 2180 | 550 | 1295 | 10.0 |
| 1236-008 | 8 | 3485 | 1885 | 2500 | 2685 | 610 | 1630 | 12.5 |
| 1236-010 | 10 | 3960 | 2360 | 2970 | 3185 | 665 | 1955 | 15.0 |

² Treads includes top platform step/top cap tool tray tread

Please note that products marked 'Special Order' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.



TB Davies EN131 GRP Fibreglass Platform Step Ladder

Product Description

Our fibreglass stepladder range incorporates a multi-functional tool tray with non-conductive stiles, making them ideal for working around electricity. The combination of super-strong C-section fibreglass stiles and reinforced aluminium treads gives you a durable yet lightweight and easy to handle step that is perfect for the busy tradesman.

Shipping Dimensions

| SKU | Barcode | Shipping Length (mm) | Shipping Width (mm) | Shipping Depth (mm) | Shipping Volume (m³) | Gross Weight (kg) |
|----------|---------------|-------------------------|---------------------|---------------------|----------------------|-------------------|
| 1236-004 | 5060169480223 | 1685 | 495 | 135 | 0.113 | 8.0 |
| 1236-005 | 5060169480230 | 1930 | 525 | 135 | 0.137 | 9.0 |
| 1236-006 | 5060169480247 | 2180 | 550 | 135 | 0.162 | 10.0 |
| 1236-008 | 5060169480261 | 2685 | 610 | 135 | 0.221 | 12.5 |
| 1236-010 | 5060169480285 | 3185 | 665 | 135 | 0.286 | 15.0 |

Packaging Material: Polythene Wrap & Cardboard Header Card

Please note that products marked 'Special Order' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.