

## SHERPASCOPIC Aluminium Industrial Telescopic Podium Step



*[Representative image of product]*

### Product Description

Sherpascopic Podium Steps offer multi-height telescopic adjustment with both front and back sections independently extendable making it ideal for use on staircases or sloping ground. The large solid platform is surrounded on three sides by 100mm high toe boards and a full height guardrail and is accessed through a folding gate which completely protects the operator from falls. The unit folds easily for transportation in a vehicle or on a roof rack.

### Features

- Rung to rung telescopic height adjustment
- Fully enclosed guardrail provides 360-degree protection
- Adjustable for use on staircases and sloping ground
- Large anti-slip work platform 600 x 420mm
- Fitted with 100mm toe boards
- Twin stabilisers to provide maximum stability
- Compact and easy to transport and store
- Large 160mm diameter wheels for ease of movement around site

### Specifications

- Brand: TB Davies
- Warranty: 5-year
- Max Load: 150kg
- Standard: EN131-7
- Material: Aluminium
- Commodity Code: 76169990
- Country of Origin: FR
- Recommended Usage: Intensive

### Common Dimensions

- Platform Tread (LxW): 600 x 420mm

### Packaging Material

- Polywrap

### Availability & Delivery

- Stock item. Delivery next day.

(See exceptions, if applicable, overleaf)

# SHERPASCOPIC Aluminium Industrial Telescopic Podium Step

## Product Dimensions

SKU	Treads <sup>2</sup>	Approx. Working Height <sup>1</sup> (mm)	Platform Height (mm)	Closed Height (mm)	Width (mm)	Open Depth (mm)	Nett Weight (kg)
1274-012	3-4	2530 – 2765	780 – 1015	2130	660	1385 – 1565	23.1†
1274-013	5-7	2815 – 3280	1065 – 1530	2440	660	1605 – 1970	26.1†
1274-014	8-10	3510 – 3975	1760 – 2225	3200	660	2150 – 2515	31.3†
1274-015	8-11	3510 – 4210	1760 – 2460	3200	660	2150 – 2723	33.5†

Where applicable, Approx. Working Height<sup>1</sup> is an approximate calculation of 1.75m (5'8") plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of ~75° degrees.

† Heavy Item – 2-person lift required.

<sup>2</sup> Tread count includes the top platform step/top cap tool tray tread.

## Shipping Dimensions

SKU	Shipping Length (mm)	Shipping Width (mm)	Shipping Depth (mm)	Shipping Volume (m <sup>3</sup> )	Gross Weight (kg)
1274-012	2030	660	380	0.509	23.1†
1274-013	2300	660	320	0.486	26.1†
1274-014	3200	660	380	0.803	31.3†
1274-015	3200	660	380	0.803	33.5†

† Heavy Item – 2-person lift required.

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.

**TB Davies (Cardiff) Ltd**, Lewis Road, Cardiff, CF24 5EB, GB. +44(0)29 2132 0000 www.tbdavies.co.uk Registered in England No.534073, VAT Reg. No.GB134144207  
 Awarded Silver by Investors in People, 2018. An ISO 9001 Registered Company. Members of The Ladder Association and PASMA.