

## Pro Series Telescopic Ladders Inc Stabiliser



### Specifications

- Brand: Xtend+Climb
- Warranty: 3-year
- Max Load: 150kg
- Standard: EN131-6
- Material: Aluminium
- Commodity Code: 76169990
- Country of Origin: CN
- Recommended Usage: Regular

### Common Dimensions

- Rung Depth: 35mm
- Distance Between Rungs: 300mm

### Availability & Delivery

Stock item. Delivery next day.

(See exceptions, if applicable, overleaf)

[Representative image of product]

### Product Description

The Xtend+Climb® Pro Series 3.2m is a versatile telescopic ladder designed with homeowners and do-it-yourselfers in mind. The 3.2m is the smallest of the three Xtend+Climb ladders from TB Davies making it perfect for use in areas with limited storage for example around the house or office. It fully extends to 3.2m (10.5 feet) and retracts down to 86cm (34 inches).

The 3.2m Xtend+Climb, like its siblings, is compact and easy to use but still has the strength, safety and durability to tackle projects around the home or office. It extends and locks by the foot, so it's only as tall as you need it. The double-sided feet ensure traction on a wide range of surfaces. When you are done cleaning windows, clearing gutters or painting, this telescopic ladder goes right back into the smallest cupboard or corner of the garage and stays out of the way until you need it again.

Re-designed from the ground up, this Xtend+Climb now features the Lightning Latch and Locking Stabilising Bar making it easier to retract the ladder and add greater stability when working at height. This ladder fully complies with the new EN131-6 rules on stabilising bars and lowering the ladder into a stored position.

### Features

- Fully extends to 3.2m (10.5ft) and compacts down to 86cm
- New Lightning Latch for easier lowering into the storage position
- New built-in wide stabilising bar locks in place before climbing
- Features patented True Telescoping Technology
- Aerospace Engineered using aircraft grade aluminium alloy for maximum strength
- Double sided feet for durability and traction
- Integrated padded carrying handle for easy carrying
- Clean-touch Anodised finish keeps your hands oil free

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.

## Pro Series Telescopic Ladders Inc Stabiliser

### Product Dimensions

SKU	Rungs /Sections	Closed Length (mm)	Last Climbing Height	Approx. Working Height <sup>1</sup> (mm)	Extended Length (mm)	Width (mm)	Stabiliser Bar Width (mm)	Depth (mm)	Nett Weight (kg)
1303-000	13 x 1	916	2900	4500	3800	511	830	97	13.5
1303-001	11 x 1	856	2300	3900	3200	511	770	90	11.0

<sup>1</sup> Working height is calculated as 1,600mm plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of 75° degrees.

### Shipping Dimensions

SKU	Barcode	Shipping Length (mm)	Shipping Width (mm)	Shipping Depth (mm)	Shipping Volume (m <sup>3</sup> )	Gross Weight (kg)
1303-000	5060356911745	975	540	140	0.074	14.8
1303-001	5060356911752	900	540	140	0.068	12.2

### Optional Extras / Spare Parts

SKU	Description
1303-011A	Telescopic Ladder Carry Case (For 3.2m Ladder)

**Packaging Material:** Cardboard Box/Polystyrene Insert