

## Heavy-Duty Mobile Safety Step (Anti-slip)



[Representative image of product]

### Product Description

Suitable for construction, military and warehouse applications with extra wide treads and a large working platform. Kitemarked to the demanding EN131-7 British Standard with additional bracing making it suitable for more frequent use applications. Available in a range of sizes with an anti-slip mat fitted to the tread and top platform step for maximum grip.

### Features

- Extra-large 700 x 560mm platform with intermediate guardrails and toe boards
- Extra wide 700 x 180mm deep treads for comfort and safety
- Please Note, 10 tread & above supplied in 2 parts
- Easy one user manoeuvrability on 4 x rolling wheels
- Optional extras available for full customisation
- Not suitable for outdoor use

### Specifications

- Brand: TB Davies
- Warranty: 1-year
- Standard: BS EN 131-7:2013
- Material: Steel
- Commodity Code: 73269030
- Country of Origin: GB
- Recommended Usage: Intensive

### Common Dimensions

- Rung Depth: 180mm
- Distance Between Rungs: 210mm
- Handrail Height: 950mm

### Availability & Delivery

Non-stock item. Delivery up to 14 days.  
(See exceptions, if applicable, overleaf)

# Heavy-Duty Mobile Safety Step (Anti-slip)

## Product Dimensions

SKU	Treads	Platform Height	Approx. Working Height <sup>1</sup> (mm)	Height (mm)	Width (mm)	Depth (mm)	Nett Weight (kg)
2020-003	3	675	2275	1675	904	968	35.0
2020-004	4	900	2500	1900	954	1123	40.0
2020-005	5	1125	2725	2125	1004	1278	45.0
2020-006	6	1350	2950	2350	1054	1433	50.0
2020-007	7	1575	3175	2575	1104	1588	55.0
2020-008	8	1800	3400	2800	1154	1743	60.0
2020-009	9	2025	3625	3025	1204	1898	65.0
2020-010	10	2250	3850	3250	1254	2053	85.0
2020-011	11	2475	4075	3475	1304	2208	95.0
2020-012	12	2700	4300	3700	1354	2363	105.0
2020-013	13	2925	4525	3925	1404	2518	110.0
2020-014	14	3150	4750	4150	1454	2673	120.0
2020-015	15	3375	4975	4375	1504	2828	130.0

<sup>1</sup> Working height is calculated as 1,600mm plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of 75° degrees.  
 Note that 10 tread and above are supplied in 2 sections, which require bolting together before first use.

## Shipping Dimensions

SKU	Barcode	Shipping Length (mm)	Shipping Width (mm)	Shipping Depth (mm)	Shipping Volume (m <sup>3</sup> )	Gross Weight (kg)
2020-003	5060169481756	1675	968	904	1.466	35.0
2020-004	5060169481763	1900	1123	954	2.036	40.0
2020-005	5060169481770	2125	1278	1004	2.727	45.0
2020-006	5060169481787	2350	1433	1054	3.549	50.0
2020-007	5060169481794	2575	1588	1104	4.514	55.0
2020-008	5060169481800	2800	1743	1154	5.632	60.0
2020-009	5060169481817	3025	1898	1204	6.913	65.0
2020-010	5060169481824	3250	2053	1254	8.367	85.0
2020-011	5060169481831	3475	2208	1304	10.005	95.0
2020-012	5060169481848	3700	2363	1354	11.838	105.0
2020-013	5060169481855	3925	2518	1404	13.876	110.0
2020-014	5060169481862	4150	2673	1454	16.129	120.0
2020-015	5060169481879	4375	2828	1504	18.608	130.0

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.  
 This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.

## Heavy-Duty Mobile Safety Step (Anti-slip)

### Optional Extras / Spare Parts

SKU	Description
2004-105	Platform Gate To End
2004-106	Platform Gate To Side (Left Hand Side)
2004-107	Platform Gate To Side (Right Hand Side)
2004-108	Platform Double Hinged Bar To End
2004-109	Platform Double Hinged Bar To Side (Left)
2004-110	Platform Double Hinged Bar To Side (Right)
2004-111	Platform Chain To Rear
2004-112	Platform Chain To Side (Left)
2004-113	Platform Chain To Side (Right)
2004-122	Platform Chain To Front
2004-123	Hook On Wire Basket
2004-118	Bottom Safety Access Denied Gate
2004-124	Platform Double Hinged Bar To Front

For all Warehouse Steps Options, please refer to Options PDF. Note that this applies to certain models only.

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.